

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17226	virtual near6 (circuit link connection)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/06 16:25
S2	1836	S1 same (rout\$3 near6 (data packet\$1 info information))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:11
S3	16	S2 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/06 16:30
S4	396	713/310.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:05
S5	32	S4 and network.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:05
S6	7	S4 and network.ti. and bridge	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:20
S7	196172	((rout\$3 path) near6 (data packet\$1 info information))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:11
S8	17256	virtual near6 (circuit link connection)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:12
S9	4415	((data near1 link) data\$link) near6 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:22
S10	12	S7 same S8 same S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:44
S11	3	(S7 same S8 same S9) and bridge	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:24
S12	9	(S7 same S8 same S9) not S11	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 08:44

S13	1026285	((switch\$3 SAN) near2 fabric) (fibre\$channel) switch bridge	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:56
S14	119363	(path routing route) near3 (info information packet\$1 data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:50
S15	8726	(virtual) near3 (link connection)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:51
S16	226	S13 same S14 same S15	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:52
S17	345	S15 and (709/230.ccls. 709/238. ccls. 709/245.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:53
S18	6	S16 and (709/230.ccls. 709/238. ccls. 709/245.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:57
S19	251268	((switch\$3 SAN) near2 fabric) (fibre\$channel) (switch near6 bridge) bridge	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 11:57
S20	56	S19 same S14 same S15	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 12:04
S21	810	pci near1 express	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 12:04
S22	8	S21 and (709/230.ccls. 709/238. ccls. 709/245.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 12:06
S23	19	S21 same S19 same S14	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/07 12:07
S24	8	("5999514"   "6118782"   "6222843"   "6343083"   "6418126"   "6421316"   "6421321").PN. OR ("6714544").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 16:23

S25	197932	(establish\$3 mak\$3) near6 (link connection (virtual near3 (link circuit connection)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:43
S26	81385	(initiat\$3 start\$3 begin\$4) near6 (transaction communication connection)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:44
S27	15771	(virtual near3 (link connection circuit)) connection\$oriented	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:48
S28	852394	switch (switching near3 fabric) (fibre\$channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:11
S29	48	S25 same S26 same S27 same S28	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:49
S30	1	S29 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:57
S31	47	S29 not S30	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 08:58
S32	12	(S29 not S30) and bridge\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:02
S33	35	S31 not S32	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:02
S34	8373	(switch\$ near3 fabric) (fibre\$channel) (san\$fabric)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:11
S35	289941	protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:12
S36	27	S35 same S34 same S27 and S25 and S26	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:12

S37	3	S35 same S34 same S27 same S25 same S26	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:14
S38	4	S34 same S27 same S25 same S26	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:16
S39	151109	(rout\$3 path) near3 (info information data packet\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:17
S40	8714	S25 same S26	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:17
S41	230	S40 same S27	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:17
S42	4	S40 same S27 same S34	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:18
S43	4	S41 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:18
S44	2785	((data near1 link) near3 protocol)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:32
S45	93	S44 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:32
S46	12	S34 same S44	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 09:32
S47	81385	(initiat\$3 start\$3 begin\$4) near6 (transaction communication connection)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:11
S48	197932	(establish\$3 mak\$3) near6 (link connection (virtual near3 (link circuit connection)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:12

S49	8373	(switch\$ near3 fabric) (fibre\$channel) (san\$fabric)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:12
S50	151109	(rout\$3 path) near3 (info information data packet\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:12
S51	15771	(virtual near3 (link connection circuit)) connection\$oriented	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:13
S52	3	S47 same S48 same S49 same S50 same S51	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:14
S53	19	S47 same S48 same S49	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:15
S54	8	S47 same S48 same S49 and S50	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:15
S55	11	S47 same S49 same S50	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:17
S56	1953	S49 same S50	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:33
S57	24	S56 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:33
S58	16	(S49 near10 (compris\$3 contain\$3 includ\$3)) near10 bridges	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:35
S59	1	S58 same S50	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 10:35
S60	136	(data\$link near3 packet)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 11:50

S61	1689	bridge\$1 near6 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:14
S62	102	S61 and "709".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:01
S63	5	S61 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:03
S64	97	S62 not S63	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:12
S65	1090	bridge\$1 with (contain\$3 compris\$3 includ\$3) with register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:15
S66	63	S65 and "709".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:15
S67	1481	PCI\$express PCI\$x	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:56
S68	317	S67 and ((switch\$ near3 fabric) (fibre\$channel) (san\$fabric))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:50
S69	108	S67 same ((switch\$ near3 fabric) (fibre\$channel) (san\$fabric))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:50
S70	24	S69 same bridge	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 12:50
S71	25	S69 same bridge\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:36
S72	12051	power adj1 management	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:36

S73	18	S72 and 709/230.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:37
S74	28	S72 same (pci\$express pci\$x)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:38
S75	2	(S72 same (pci\$express pci\$x)) and "709".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:39
S76	620	(network shared) near10 (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:43
S77	594	(network) near10 (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:43
S78	3	S77 same (shared near10 (power adj1 management))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:44
S79	28	S67 same (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:57
S80	222	PCI\$express	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:57
S81	293	shared same (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:58
S82	117	S81 same (scheme status state mode)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 15:58
S83	33	shared near10 (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:01
S84	1465852	(switch\$3 fabric\$1) (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:01

S85	2591	(switch\$3 fabric\$1) same (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:01
S86	1027	(switch\$3 fabric\$1) near10 (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:02
S87	6	S83 same (fabric\$1 switch\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:04
S88	1	S83 same (fabric\$1 near3 switch\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:04
S89	1923996	(link near2 partners) devices computers servers	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:05
S90	7	S89 same S83	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:07
S91	154	shared near10 (power near2 (state mode status method))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:09
S92	4	S91 and "709".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:08
S93	4534	("same" similar identical shared) near10 (power near2 (state mode status method))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:27
S94	34	S93 and "709".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:10
S95	1321	S93 same (first second both)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:16
S96	622	S93 with (first second both)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:17



S97	147	S93 with ((first second both) near3 computers devices servers)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:17
S98	5	((("same" similar identical shared) near10 (power near2 (state mode status method))) with ((first second both) near3 (computers devices servers)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:27
S99	133	((("same" similar identical shared) near10 (power near2 (state mode status method))) and 713/300.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:30
S10 0	9	S99 and network.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:28
S10 1	354	((("same" similar identical shared) near10 (power near2 (state mode status method))) same (computers devices links servers)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:31
S10 2	27	S101 and 713/300.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:31
S10 3	1482	pci\$express express\$pci pci\$x	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:56
S10 4	0	S103 near10 power\$managment	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:56
S10 5	7	S103 near10 (power adj1 management)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:57
S10 6	159	S103 near10 (fabric switch\$3 fibre)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:57
S10 7	2	S103 near10 (fabric switch\$3 fibre) near10 power	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 16:59
S10 8	92703	(initiat\$3 start\$3 instantiat\$3 begin\$4) near6 (transaction connection communication link)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:33

S10 9	2983	((establish\$3 mak\$3 creat\$3) near6 ((virtual) near3 (circuit connection link partnership))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:34
S11 0	191	S108 same S109	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:35
S11 1	3	S110 same ((switch\$3 near3 (fabric)) (fibre near3 channel) (san near3 fabric))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:37
S11 2	110	S110 and "370".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:37
S11 3	14	S112 and fabric	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/08 17:37
S11 4	14000	((san switch\$3) near3 fabric) (fibre\$channel (fiber adj2 channel))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:44
S11 5	2716	S114 and bridge\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:44
S11 6	628	S114 same bridge\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:44
S11 7	216	S116 and "370".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:45
S11 8	8	S116 same ((initiat\$3 start\$3 mak\$3) near2 (link connection communication (virtual adj2 (link circuit))))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:50
S11 9	6	S118 and "370".clas.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 06:46
S12 0	3	"687512".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/02/09 07:55